DETAILED ACTION

1.   Claims 2-6, 8-13 and 15-27 have been examined. Application 10/023,886 (Information providing server, client, information providing system processing method, recording medium recording a program, and advertisement providing method) has a filing date 12/21/2001 and foreign priority 12/25/2000.

Response to Amendment

2.   In response to Non Final Rejection filed 09/14/09, the Applicant filed an Amendment on 01/14/10, which amended claims 2, 4-5, 8-9, 11-12, 15-17, 19, 21-27.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2-6, 8-13 and 15-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirono (US 6,882,348) in view of Herf (US 6,734,873) and further in view of Neven (US 6,948,131) and DeLorme (US 5,848,373).

As per claim 2, Hirono teaches:

An information providing server comprising:

image data storage means for storing image data generated based on image information in which a physical position is clearly described and in which a same area is

photographed from different locations, and storing positional information showing the position of said image data (see figure 5);

advertisement placing information storage means for storing advertisement placing information including at least a placing period and a placed location of an advertisement by adding an ID for each advertisement (see figure 5);

image synthesizing means for reading the image data from said image data storage means based on a viewpoint of a user, reading from said advertisement placing information storage means said advertisement placing information having said placing period including a current date data and said placed location included in said image data read based on said viewpoint of a user, and synthesizing said read image data with said advertisement placing information to generate synthesis image data (see figure 5);

advertisement contract storage means for storing contract information including an ID added to said advertisement placing information, the name of an advertisement placing person who desires to place an advertisement, and a contract money amount (see col 7, lines 45-50); and

advertisement contract means for receiving an advertisement placing request from said advertisement placing person (see col 7, lines 45-50) executing a contract process of said advertisement placing request upon reception of said advertisement placing request from said advertisement placing person and updating said advertisement placing information stored in said advertisement placing information

storage means based on said contract information stored in said advertisement contract

storage means (see col 7, lines 45-50).

user data storage means for recording the ID of a user and the viewpoint position

of said user (see col 6, lines 1-10);

other users maximum display threshold value storage means for storing an other

users maximum display threshold value for defining a threshold value to display the

maximum number of viewpoint positions of other users when displaying the viewpoint

positions of the other users (see col 9, lines 35-45 "marker");

user position display means for adding a user position mark showing the user to

the viewpoint position of the user in said image stereoscopic representation provided to

said user, fetching from data stored in said user data storage means the viewpoint

positions of said other users and said user IDs up to said threshold value defined by

said other users maximum display threshold value in the order close to the viewpoint

position of said user, and adding other users position marks showing said other users to

said viewpoint positions (see col 9, lines 30-45; position marker); and

Hirono fails to teach that said image data is a three-dimensional image data, the user

data storage means also storing Ids of other users and viewpoint positions of the other

users and interaction connection means for *receiving an interaction request indicating*

said other users position marks displayed in said user position display means and

specified by said user, checking the user IDs corresponding to said other users position

marks from said user data storage means, and starting an interacting function program

to provide connection between said user and said other users having the checked user

Ids. However, <u>Herf</u> teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50), <u>DeLorme</u> teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-50) and also teaches a system that records all the locations of users in map (see figure 2; col 21, lines 55-67) and allows to communicate between different users using said users' unique ID (see col 38, lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64, line 10) and <u>Neven</u> teaches that it is old and well known in the communication art to allow users to communicate in real time with other users that are online (see <u>Neven</u> col 7, lines 50-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that <u>Hirono</u> would use the <u>Herf</u> and <u>DeLorme</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience and would allow users to communicate with other users that are online at said users' location, as it is old and well known to do so, as taught by <u>Neven</u>.

wherein the synthesis image data includes the advertisement placed at a particular location corresponding to the placed location in a image corresponding to the image (see <u>Hirono</u> col 7, lines 20-50). <u>Hirono</u> fails to teach that said image data is a three-dimensional image data. However, <u>Herf</u> teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that <u>Hirono</u> would use the <u>Herf</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

As per claim 3, Hirono teaches:

image data conversion means for generating image data based on image information in which the same area is photographed from different locations and in which a physical position is clearly described (see fig 5). Hirono fails to teach that said image data is a three-dimensional image data and that wherein the synthesis three dimensional image data is provided as part of a three-dimensional aerial sightseeing service that is provided to the user for free. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50) and DeLorme teaches presenting a three-dimensional sightseeing system (see col 15, lines 45-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf and the DeLorme system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

As per claim 4, Hirono teaches:

An information providing server comprising:

image data storage means for storing three-dimensional image data generated based on image information in which a physical position is clearly described and in which the same area is photographed from different locations, and storing positional information showing the position of said image data (see figure 5);

advertisement placing information storage means for storing advertisement placing information including at least a placing period and a placed location of an advertisement by adding an ID for each advertisement (see col 8, lines 1-15) the

advertisement placing information being provided by an advertisement placing person (see col 7, lines 45-50);

user data storage means for recording the ID of a user and the viewpoint position of said user (see col 6, lines 1-11);

other users maximum display threshold value storage means for storing an other users maximum display threshold value for defining a threshold value to display the maximum number of viewpoint positions of other users when displaying the viewpoint positions of the other users (see col 9, lines 35-45 "marker");

user position display means for adding a user position mark showing the user to the viewpoint position of the user in said image stereoscopic representation provided to said user, fetching from data stored in said user data storage means the viewpoint positions of said other users and said user IDs up to said threshold value defined by said other users maximum display threshold value in the order close to the viewpoint position of said user, and adding other users position marks showing said other users to said viewpoint positions (see col 9, lines 30-45; position marker); and

Hirono fails to teach that said image data is a three-dimensional image data and the user data storage means also storing Ids of other users, viewpoint positions of the other users and interaction connection means for *receiving an interaction request indicating said other users position marks displayed in said user position display means and specified by said user, checking the user IDs corresponding to said other users position marks from said user data storage means, and starting an interacting function program to provide connection between said user and said other users having the*

checked user Ids. However, <u>Herf</u> teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50), <u>DeLorme</u> teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-50) and also teaches a system that records all the locations of users in map (see figure 2; col 21, lines 55-67) and allows to communicate between different users using said users' unique ID (see col 38, lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64, line 10) and <u>Neven</u> teaches that it is old and well known in the communication art to allow users to communicate in real time with other users that are online (see <u>Neven</u> col 7, lines 50-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that <u>Hirono</u> would use the <u>Herf</u> and <u>DeLorme</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience and would allow users to communicate with other users that are online at said users' location, as it is old and well known to do so, as taught by <u>Neven</u>.

image synthesizing means for reading the image data from said three-dimensional image data storage means based on viewpoint of a user, reading from said advertisement placing information storage means said advertisement placing information having said placing period including a current date data and said placed location included in said image data read based on said viewpoint of a user, and synthesizing said read image data with said advertisement placing information to generate synthesis image data (see figure 5);

and image browser means for generating, based on a desired viewpoint position, a rendered image rendered from said synthesis image data outputted from said image synthesizing means (see figure 5); wherein the synthesis image data includes the advertisement placed at a particular location corresponding to the placed location in a image corresponding to the image (see <u>Hirono</u> col 7, lines 20-50). <u>Hirono</u> fails to teach that said image data is a three-dimensional image data. However, <u>Herf</u> teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that <u>Hirono</u> would use the <u>Herf</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

As per claim 5, <u>Hirono</u> teaches:

An information providing server comprising:

image data storage means for storing image data generated based on image information in which a physical position is clearly described and in which the same area is photographed from different locations, and storing positional information showing the position of said image data (see figure 5);

advertisement placing information storage means for storing advertisement placing information including at least a placing period and a placed location of an advertisement by adding an ID for each advertisement (see col 14, lines 45-60) the advertising placing information being provided by an advertisement placing person (see col 7, lines 45-50);

image synthesizing means for reading the image data from said image data storage means based on viewpoint of a user, reading from said advertisement placing information storage means said advertisement placing information having said placing period including a current date data and said placed location included in said image data read based on said viewpoint of a user, and synthesizing said read image data with said advertisement placing information to generate synthesis image data (see figure 5);

image browser means for generating, based on a desired viewpoint position, a rendered image rendered from said synthesis image data outputted from said image synthesizing means (see figure 5);

advertisement contract storage means for storing contract information including an ID added to said advertisement placing information, the name of an advertisement placing person who desires to place an advertisement, and a contract money amount (see col 7, lines 45-50); and advertisement contract means for receiving an advertisement placing request from said advertisement placing person (see col 7, lines 45-50), executing a contract process of said advertisement placing request upon reception of said advertisement placing request from said advertisement placing person and updating said advertisement placing information stored in said advertisement placing information storage means based on said contract information stored in said advertisement contract storage means (see col 7, lines 45-55); wherein the synthesis image data includes the advertisement placed at a particular location corresponding to the placed location in a image corresponding to the image (see Hirono col 7, lines 20-

50). <u>Hirono</u> fails to teach that said image data is a three-dimensional image data. However, <u>Herf</u> teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that <u>Hirono</u> would use the <u>Herf</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

user data storage means for recording the ID of a user and the viewpoint position of said user (see col 6, lines 1-10);

other users maximum display threshold value storage means for storing an other users maximum display threshold value for defining a threshold value to display the maximum number of viewpoint positions of other users when displaying the viewpoint positions of the other users (see col 9, lines 35-45 "marker");

user position display means for adding a user position mark showing the user to the viewpoint position of the user in said image stereoscopic representation provided to said user, fetching from data stored in said user data storage means the viewpoint positions of said other users and said user IDs up to said threshold value defined by said other users maximum display threshold value in the order close to the viewpoint position of said user, and adding other users position marks showing said other users to said viewpoint positions (see col 9, lines 30-45; position marker); and

<u>Hirono</u> fails to teach that said image data is a three-dimensional image data and the user data storage means also storing Ids of other users and viewpoint positions of the other users and interaction connection means *receiving an interaction request*

indicating said other users position marks displayed in said user position display means and specified by said user, checking the user IDs corresponding to said other users position marks from said user data storage means, and starting an interacting function program to provide connection between said user and said other users having the checked user Ids. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50) and DeLorme teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-50) and also teaches a system that records all the locations of users in map (see figure 2; col 21, lines 55-67) and allows to communicate between different users using said users' unique ID (see col 38, lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64, line 10) and Neven teaches that it is old and well known in the communication art to allow users to communicate in real time with other users that are online (see Neven col 7, lines 50-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf and DeLorme's system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience and would allow users to communicate with other users that are online at said users' location, as it is old and well known to do so, as taught by Neven.

As per claim 6, Hirono teaches:

image data conversion means for generating image data based on image information in which a physical position is clearly described in which the same area is photographed from different locations described (see figure 5). Hirono fails to teach that

said image data is a three-dimensional image data and wherein the synthesis three-dimensional image data is provided as part of a three-dimensional aerial sightseeing service that is provided to the user for free. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50) and DeLorme teaches presenting a three-dimensional sightseeing system (see col 15, lines 45-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf and the DeLorme system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

As per claim 8, Hirono teaches:

An information providing server comprising:

image data storage means for storing image data generated based on image information in which a physical position is clearly described and in which the same area is photographed from different locations, and storing positional information showing the position of said image data (see figure 5);

advertisement placing information storage means for storing advertisement placing information including at least a placing period and a placed location of an advertisement by adding an ID for each advertisement (see col 14, lines 35-60);

the advertisement placing information being provided by an advertisement placing person (See col 7, lines 45-50);

image synthesizing means for reading the image data from said three-dimensional image data storage means based on browsing location specification

information, reading from said advertisement placing information storage means said advertisement placing information having said placing period including a current date data and said placed location included in said image data read based on said view point of a user, and synthesizing said read image data with said advertisement placing information to generate synthesis image data (see figure 5);

image browser means for generating, based on a desired viewpoint position, a rendered image rendered from said synthesis image data outputted from said image synthesizing means (see col 14, lines 45-60);

landmark position storage means for storing landmark information including langrage representation information about the name or contents corresponding to a landmark existing in said image data and positional information on the position of said landmark (see figure 12); and

search engine means for searching for page data including the contents related to a keyword from a set of page data when said keyword is given as input and generating link information to said page data (see col 14, lines 45-60),

wherein said image browser means refers to said positional information included in said landmark information of said landmark position storage means when related information presentation related to the position is commanded, specifies the corresponding landmark information, outputs said language representation information of the landmark information to said search engine means, and allows said search engine means to generate link information of page data related to the landmark information (see figure 12). wherein the synthesis image data includes the

advertisement placed at a particular location corresponding to the placed location in a image corresponding to the image (see Hirono col 7, lines 20-50). Hirono fails to teach that said image data is a three-dimensional image data. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf's system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

user data storage means for recording the ID of a user and the viewpoint position of said user (see col 6, lines 1-10);

other users maximum display threshold value storage means for storing an other users maximum display threshold value for defining a threshold value to display the maximum number of viewpoint positions of other users when displaying the viewpoint positions of the other users (see col 9, lines 35-45 "marker");

user position display means for adding a user position mark showing the user to the viewpoint position of the user in said image stereoscopic representation provided to said user, fetching from data stored in said user data storage means the viewpoint positions of said other users and said user IDs up to said threshold value defined by said other users maximum display threshold value in the order close to the viewpoint position of said user, and adding other users position marks showing said other users to said viewpoint positions (see col 9, lines 30-45; position marker); and

Hirono fails to teach that said image data is a three-dimensional image data and the user data storage means also storing Ids of other users and viewpoint positions of the other users and interaction connection means for *receiving an interaction request indicating said other users position marks displayed in said user position display means and specified by said user, checking the user IDs corresponding to said other users position marks from said user data storage means, and starting an interacting function program to provide connection between said user and said other users having the checked user Ids.* However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50) and DeLorme teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-50) and also teaches a system that records all the locations of users in map (see figure 2; col 21, lines 55-67) and allows to communicate between different users using said users' unique ID (see col 38, lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64, line 10) and Neven teaches that it is old and well known in the communication art to allow users to communicate in real time with other users that are online (see Neven col 7, lines 50-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf and DeLorme's system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience and would allow users to communicate with other users that are online at said users' location, as it is old and well known to do so, as taught by Neven.

As per claim 9, Hirono teaches:

An information providing server comprising:

image data storage means for storing image data generated based on image information in which a physical position is clearly described and in which the same area is photographed from different locations, and storing positional information showing the position of said image data (see figure 12);

advertisement placing information storage means for storing advertisement placing information including at least a placing period and a placed location of an advertisement by adding an ID for each advertisement (see col 6, lines 1-25);

the advertisement placing information being provided by an advertisement placing person (see col 7, lines 45-50);

image synthesizing means for reading the image data from said image data storage means based on viewpoint of a user, reading from said advertisement placing information storage means said advertisement placing information having said placing period including a current date data and said placed location included in said image data read based on said viewpoint of a user, and synthesizing said read image data with said advertisement placing information to generate synthesis image data (see figure 12);

image browser means for generating, based on a desired viewpoint position, a rendered image rendered from said synthesis image data outputted from said image synthesizing means (see figure 12);

landmark position storage means for storing landmark information including a language representation about the name or contents corresponding to a landmark

existing in said image data and positional information on the position of said landmark

(see figure 12);

search engine means for searching for page data including the contents related

to a keyword from a set of page data when said keyword is given as input and

generating link information to said page data (see col 14, lines 45-60);

user stay landmark storage means for storing a landmark stay record including

said landmark where a user stays and the stay time at the landmark (see figure 12);

all movement history storing means for recording a movement history including

the viewpoint position of said user and the time (see figure 12);

stay time threshold value storage means for storing a stay time threshold value

showing time to stay around a landmark necessary for judging that said user is

interested in said landmark (see figure 12);

range inside and outside judgment distance storage means for storing range

inside and outside judgment distance information showing definition of the peripheral

position from the position of a landmark necessary for judging that said user is

interested in said landmark (see figure 12);

stay time calculation means for extracting said landmark information from said

landmark position storage means, using positional information of the landmark

information and said range inside and outside judgment distance information stored in

said range inside and outside judgment distance storage means to extract from said all

movement history storing means said movement history when the viewpoint position of

said user is within a surrounding area of said landmark defined by said range inside and

outside judgment distance information from positional information included in said extracted landmark position, and using the extracted movement history to calculate the first time and the last time in which the viewpoint position of said user is within said surrounding area of said landmark (see figure 12);

and user stay landmark judgment means for comparing a stay time which is a difference between said last time and said first time calculated by said stay time calculation means with said stay time threshold value stored in said stay time threshold value storage means, and when said stay time is above said stay time threshold value, using said language representation information of said landmark information to store said landmark name and said stay time into said user stay landmark storage means, wherein said image browser means refers to said positional information included in said landmark information of said landmark position storage means when related information presentation related to the position is commanded, specifies the corresponding landmark information, outputs said language representation information of the landmark information to said search engine means, and allows said search engine means to generate link information of page data related to the landmark information (see figure 12). wherein the synthesis image data includes the advertisement placed at a particular location corresponding to the placed location in a image corresponding to the image (see Hirono col 7, lines 20-50). Hirono fails to teach that said image data is a three-dimensional image data. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to

know that <u>Hirono</u> would use the <u>Herf</u>'s system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience.

user data storage means for recording the ID of a user and the viewpoint position of said user (see col 6, lines 1-10);

other users maximum display threshold value storage means for storing an other users maximum display threshold value for defining a threshold value to display the maximum number of viewpoint positions of other users when displaying the viewpoint positions of the other users (see col 9, lines 35-45 "marker");

user position display means for adding a user position mark showing the user to the viewpoint position of the user in said image stereoscopic representation provided to said user, fetching from data stored in said user data storage means the viewpoint positions of said other users and said user IDs up to said threshold value defined by said other users maximum display threshold value in the order close to the viewpoint position of said user, and adding other users position marks showing said other users to said viewpoint positions (see col 9, lines 30-45; position marker); and

<u>Hirono</u> fails to teach that said image data is a three-dimensional image data and the user data storage means also storing Ids of other users and viewpoint positions of the other users and interaction connection means for *receiving an interaction request indicating said other users position marks displayed in said user position display means and specified by said user, checking the user IDs corresponding to said other users position marks from said user data storage means, and starting an interacting function program to provide connection between said user and said other users having the*

checked user Ids. However, Herf teaches a system of displaying three-dimensional images in a browser (see col 7, lines 30-50) and DeLorme teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-50) and also teaches a system that records all the locations of users in map (see figure 2; col 21, lines 55-67) and allows to communicate between different users using said users' unique ID (see col 38, lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64, line 10) and Neven teaches that it is old and well known in the communication art to allow users to communicate in real time with other users that are online (see Neven col 7, lines 50-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the application was made, to know that Hirono would use the Herf and DeLorme's system to presents three-dimensional image to a user's browser in order that said user has a better browsing experience and would allow users to communicate with other users that are online at said users' location, as it is old and well known to do so, as taught by Neven.

As per claim 10, Hirono teaches:

all information search command history storing means for recording an information presentation command history including the landmark name in which said user commands related information presentation related to the position and the time (see figure 12; col 6, lines 15-30); and

user behavior record presentation means for outputting said landmark stay record of said user stay landmark storage means or said information presentation

command history of said all information search command history storing means when a

manager commands to present the summing result (see col 6, lines 15-30).

Claims 11-13 and 15-27 contains the same limitation as claims 2-6 and 8-10

therefore, the same rejection is applied.

Response to Arguments

4.   Applicant's arguments filed 01/14/10 have been fully considered but they are not

persuasive. The Applicant argues that Delorme does not teach *receiving an interaction*

request indicating said other users position marks displayed in said user position display

means and specified by said user, checking the user IDs corresponding to said other

users position marks from said user data storage means, and starting an interacting

function program to provide connection between said user and said other users having

the checked user Ids because according to the Appellant, in Delorme the user has to

know the destination address of other users. The Examiner answers that the Applicant

is arguing about limitations not stated in the claims when he mentions that in his present

invention the user does not need to know the destination address of the user. DeLorme

teaches a system that allow users sightsee in three dimensions (see col 15, lines 45-

50), records all the locations of users in map (see figure 2; col 21, lines 55-67) and

allows to communicate between different users using said users' unique ID (see col 38,

lines 24-30; col 39, line 47 – col 40, line 15; col 44, lines 10-20; col 63, lines 10 – col 64,

line 10). Therefore, contrary to Applicant's argument, Delorme teaches Applicant's

claimed limitation.

Conclusion

5.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to DANIEL LASTRA whose telephone number is 571-272-

6720 and fax 571-273-6720. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, LYNDA C JASMIN can be reached on (571) 272-6782. The official Fax

number is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/DANIEL LASTRA/
Primary Examiner, Art Unit 3688
April 21, 2010